SIGNAGE FOR ACCESSIBLE RESTROOMS







1. Doorways leading to men's sanitary facilities shall be identified by an equilateral triangle, ¼" thick with edges 12" long and a vertex pointing upward.
2. Women's sanitary facilities shall be identified by a circle, ¼" thick and 12" in diameter. with a ¼" thick triangle superimposed on the circle and within the 12" diameter.
3. Unisex sanitary facilities shall be identified by a circle. ¼" thick and 12" in diameter with a ¼" thick triangle superimposed on the circle and within the 12" diameter.
4. These geometric symbols shall be centered on the door at a height of 60 inches and their color and contrast shall be distinctly different from the color and contrast of the door.
5. Characters, symbols and their backgrounds shall have a non-glare finish. Characters and symbols shall contrast with their background.
6. Raised characters and pictorial symbol signs shall comply with 1117.5.5.
7. Accessible restrooms shall be provided with Braille signage complying with 1117.5.6.
8. Permanent identification signage shall be located on the wall adjacent to the latch side of the door. Mounting height shall be 60" above the finish floor to the center line of the sign. Mounting location shall be determined so that a person may approach within 3 inches of signage without encountering protruding objects or standing within the swing of the door.

	PLACER COUNTY BUILDING DEPARTMENT AUBURN, CALIFORNIA	CBC §1115B.6
		DATE: JANUARY 2008