Placer County Systems of Care

# DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | **DSM-IV** | **DESCRIPTION** | **ICD-9** | **DESCRIPTION** |
| 2 | 290.40 | Vascular Dementia, Uncomplicated | 290.40 | Arteriosclerotic dementia, uncomplicated |
| 3 | 290.41 | Vascular Dementia, with Delirium | 290.41 | Arteriosclerotic dementia wth delirium |
| 4 | 290.42 | Vascular Dementia, with Delusions | 290.42 | Arteriosclerotic dementia with delusional features |
| 5 | 290.43 | Vascular Dementia, with Depressed Mood | 290.43 | Arteriosclerotic dementia with depressive features |
| 6 | 291.0 | *Refer to DSM-IV-TR for two diagnoses with this code.* | 291.0 | Alcohol withdrawal delirium |
| 7 | 291.1 | Alcohol-Induced Persisting Amnestic Disorder | 291.1 | Alcohol amnestic syndrome |
| 8 | 291.2 | Alcohol-Induced Persisting Dementia | 291.2 | Other alcoholic dementia |
| 9 | 291.3 | Alcohol-Induced Psychotic Disorder, with Hallucinations | 291.3 | Alcohol withdrawal hallucinosis |
| 10 | 291.5 | Alcohol-Induced Psychotic Disorder, with Delusions | 291.5 | Alcohol jealousy |
| 11 | 291.81 | Alcohol Withdrawal | 291.81 | Alcohol withdrawal |
| 12 | 291.89 | *Refer to DSM-IV-TR for four diagnoses with this code .* | 291.89 | Other specific alcoholic psychosis |
| 13 | 291.9 | Alcohol-Related Disorder NOS | 291.9 | Unspecified alcoholic psychosis |
| 14 | 292.0 | *Refer to DSM-IV-TR for six diagnoses with this code.* | 292.0 | Drug withdrawal syndrome |
| 15 | 292.11 | *Refer to DSM-IV-TR for nine diagnoses with this code.* | 292.11 | Drug-induced organic delusional syndrome |
| 16 | 292.12 | *Refer to DSM-IV-TR for nine diagnoses with this code.* | 292.12 | Drug-induced hallucinosis |
| 17 | 292.81 | *Refer to DSM-IV-TR for nine diagnoses with this code.* | 292.81 | Drug-induced delirium |
| 18 | | Sedative, Hypnotic, or Anxiolytic Withdrawal Deirium | 292.0 | Drug withdrawal syndrome |
| 19 | 292.82 | *Refer to DSM-IV-TR for three diagnoses with this code.* | 292.82 | Drug-induced dementia |
| 20 | 292.83 | *Refer to DSM-IV-TR for two diagnoses with this code.* | 292.83 | Drug-induced amnestic syndrome |
| 21 | 292.84 | *Refer to DSM-IV-TR for eight diagnoses with this code.* | 292.84 | Drug-induced organic affective syndrome |
| 22 | 292.89 | *Refer to DSM-IV-TR for 30 diagnoses with this code.* | 292.89 | Other specified drug-induced mental disorders, Other |
| 23 | | *Refer to DSM-IV-TR for eight diagnoses with this code.* | 292.2 | Pathological drug intoxication |
| 24 | 292.9 | *Refer to DSM-IV-TR for 11 different diagnoses with this code.* | 292.9 | Unspecified drug-induced mental disorder |
| 25 | 293.0 | Delirium Due To (General Medical Condition) | 293.0 | Acute delirium |
| 26 | 293.81 | Psychotic Disorder due to ... (Indicate the General Medical Condition) w/Delusions | 293.81 | Organic delusional syndrome |
| 27 | 293.82 | Psychotic Disorder due to ... (Indicate the General Medical Condition) w/Hallucinations | 293.82 | Organic hallucinosis syndrome |
| 28 | 293.83 | Mood Disorder Due to ... (Indicate the General Medical Disorder) | 293.83 | Organic affective syndrome |
| 29 | 293.84 | Anxiety Disorder due to ... (Indicate the General Medical Condition) | 293.84 | Organic anxiety syndrome |
| 30 | 293.89 | Catatonic Disorder Due to ... (Indicate General Medical Condition) | 293.89 | Other specified transient organic mental disorders, Other |

# DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | **DSM-IV** | **DESCRIPTION** | **ICD-9** | **DESCRIPTION** |
| 31 | 293.9 | Mental Disorder NOS Due to ... (Indicate General Medical Condition) | 293.9 | Unspecified transient organic mental disorder |
| 32 | 294.0 | Amnestic Disorder Due to ... (Indicate the General Medical Condition) | 294.0 | Amnestic syndrome |
| 33 | 294.10 | *Refer to DSM-IV-TR for three diagnoses with this code* | 294.10 | Dementia in conditions classified elsewhere without behavioral disturbance |
| 34 | 294.11 | *Refer to DSM-IV-TR for three diagnoses with this code.* | 294.11 | Dementia in conditions classified elsewhere with behavioral disturbance |
| 35 | 294.8 | Amnestic Disorder NOS | 294.8 | Other specified organic brain syndromes (chronic) |
| 36 | | Dementia NOS | 294.0 | Amnestic Syndrome |
| 37 | 294.9 | Cognitive Disorder NOS | 294.9 | Unspecified organic brain syndrome (chronic) |
| 38 | 295.10 | Schizophrenia, Disorganized Type * | 295.10 | Schizophrenic disorder, Disorganized type, **Unspecified** |
| 39 | | | 295.11 | Schizophrenic disorder, Disorganized type,**Subchronic** |
| 40 | | | 295.12 | Schizophrenic disorder, Disorganized type, **Chronic with acute exacerbation** |
| 41 | | | 295.13 | Schizophrenic disorder, Disorganized type, **Subchronic with acute exacerbation** |
| 42 | | | 295.14 | Schizophrenic disorder, Disorganized type, **Chronic with acute exacerbation** |
| 43 | | | 295.15 | Schizophrenic disorder, Disorganized type, **in remission** |
| 44 | 295.20 | Schizophrenia, Catatonic Type * | 295.20 | Schizophrenic disorder, Catatonic type, **Unspecified** |
| 45 | | | 295.21 | Schizophrenic disorder, Catatonic type, **Subchronic** |
| 46 | | | 295.22 | Schizophrenic disorder, Catatonic type, **Chronic** |
| 47 | | | 295.23 | Schizophrenic disorder, Catatonic type, **Subchronic with acute exacerbation** |
| 48 | | | 295.24 | Schizophrenic disorder, Catatonic type, **Chronic with acute exacerbation** |
| 49 | | | 295.25 | Schizophrenic disorder, Catatonic type, **In remission** |
| 50 | 295.30 | Schizophrenia, Paranoid Type * | 295.30 | Schizophrenic disorder, Paranoid type, **Unspecified** |
| 51 | | | 295.31 | Schizophrenic disorder, Paranoid type, **Subchronic** |
| 52 | | | 295.32 | Schizophrenic disorder, Paranoid type, **Chronic** |
| 53 | | | 295.33 | Schizophrenic disorder, Paranoid type, **Subchronic with acute exacerbation** |
| 54 | | | 295.34 | Schizophrenic disorder, Paranoid type, **Chronic with acute exacerbation** |
| 55 | | | 295.35 | Schizophrenic disorder, Paranoid type, **In remission** |

Placer County Systems of Care

# DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | **DSM-IV** | **DESCRIPTION** | **ICD-9** | **DESCRIPTION** |
| 56 | 295.40 | Schizophreniform Disorder * | 295.40 | Acute schizophrenic pisode, **Unspecified** |
| 57 | | | 295.41 | Acute schizophrenic episode, **Subchronic** |
| 58 | | | 295.42 | Acute schizophrenic episode, **Chronic** |
| 59 | | | 295.43 | Acute schizophrenic episode, **Subchronic with acute exacerbation** |
| 60 | | | 295.44 | Acute schizophrenic episode, **Chronic with acute exacerbation** |
| 61 | | | 295.45 | Acute schizophrenic episode, **In remission** |
| 62 | 295.60 | Schizophrenia, Residual Type * | 295.60 | Residual schizophrenia, **Unspecified** |
| 63 | | | 295.61 | Residual schizophrenia, **Subchronic** |
| 64 | | | 295.62 | Residual schizophrenia, **Chronic** |
| 65 | | | 295.63 | Residual schizophrenia, **Subchronic with acute exacerbation** |
| 66 | | | 295.64 | Residual schizophrenia, **Chronic with acute exacerbation** |
| 67 | | | 295.65 | Residual schizophrenia, **In remission** |
| 68 | 295.70 | Schizoaffective Disorder * | 295.70 | Schizophrenic disorder, Schizo-affective type, **Unspecified** |
| 69 | | | 295.71 | Schizophrenic disorder, Schizo-affective type, **Subchronic** |
| 70 | | | 295.72 | Schizophrenic disorder, Schizo-affective type, **Chronic** |
| 71 | | | 295.73 | Schizophrenic disorder, Schizo-affective type, **Subchronic with acute exacerbation** |
| 72 | | | 295.74 | Schizophrenic disorder, Schizo-affective type, **Chronic with acute exacerbation** |
| 73 | | | 295.75 | Schizophrenic disorder, Schizo-affective type, **In femission** |
| 74 | 295.90 | Schizophrenia, Undifferentiated Type * | 295.90 | Unspecified schizophrenia, **Unspecified** |
| 75 | | | 295.91 | Unspecified schizophrenia, **Subchronic** |
| 76 | | | 295.92 | Unspecified schizophrenia, **Chronic** |
| 77 | | | 295.93 | Unspecified schizoprenia, **Subchronic with acute exacerbation** |
| 78 | | | 295.94 | Unspecified schizoprenia, **Chronic with acute exacerbation** |
| 79 | | | 295.95 | Unspecified schizophrenia, **In remission** |
| 80 | 296.00 | Bipolar I Disorder, Single Manic Episode, Unspecified | 296.00 | Manic disorder, single episode, Unspecified |
| 81 | 296.01 | Bipolar I Disorder, Single Manic Episode, Mild | 296.01 | Manic disorder, single episode, Mild |
| 82 | 296.02 | Bipolar I Disorder, Single Manic Episode, Moderate | 296.02 | Manic disorder, single episode, Moderate |
| 83 | 296.03 | Bipolar I Disorder, Single Manic Episode, Severe, without psychotic behavior | 296.03 | Manic disorder, single episode, Severe without mention of psychotic behavior |
| 84 | 296.04 | Bipolar I Disorder, Single Manic Episode, Severe, with psychotic features | 296.04 | Manic disorder, single episode, Severe, specified as with psychotic behavior |

Placer County Systems of Care

## DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | **DSM-IV** | **DESCRIPTION** | **ICD-9** | **DESCRIPTION** |
| 85 | 296.05 | Bipolar I Disorder, Single Manic Episode, In partial remission | 296.05 | Manic disorder, single episode, In partial or unspecified remission |
| 86 | 296.06 | Bipolar I Disorder, Single Manic Episode, In full remission | 296.06 | Manic disorder, single episode, In full remission |
| 87 | 296.20 | Major Depressive Disorder, Single Episode, Unspecified | 296.20 | Major depressive disorder, single episode, Unspecified |
| 88 | 296.21 | Major Depressive Disorder, Single Episode, Mild | 296.21 | Major depressive disorder, single episode, Mild |
| 89 | 296.22 | Major Depressive Disorder, Single Episode, Moderate | 296.22 | Major depressive disorder, single episode, Moderate |
| 90 | 296.23 | Major Depressive Disorder, Single Episode, Severe, without Pychotic Features | 296.23 | Major depressive disorder, single episode, Severe, without mention of psychotic behavior |
| 91 | 296.24 | Major Depressive Disorder, Single Episode, Severe, with Psychotic Features | 296.24 | Major depressive disorder, single episode, Severe, specified as with psychotic behavior |
| 92 | 296.25 | Major Depressive Disorder, single episode, In partial remission | 296.25 | Major depressive disorder, single episode, In partial or unspecified remission |
| 93 | 296.26 | Major Depressive Disorder, single episode, In full remission | 296.26 | Major depressive disorder, single episode, In full remission |
| 94 | 296.30 | Major Depressive Disorder, Recurrent, Unspecified | 296.30 | Major depressive disorder, recurrent episode, Unspecified |
| 95 | 296.31 | Major Depressive Disorder, Recurrent, Mild | 296.31 | Major depressive disorder, recurrent episode, Mild |
| 96 | 296.32 | Major Depressive Disorder, Recurrent, Moderate | 296.32 | Major depressive disorder, recurrent episode, Moderate |
| 97 | 296.33 | Major Depressive Disorder, Recurrent, Severe without psychotic features | 296.33 | Major depressive disorder, recurrent episode, Severe without psychotic features |
| 98 | 296.34 | Major Depressive Disorder, Recurrent, Severe, with psychotic features | 296.34 | Major depressive disorder, recurrent episode, Severe, with psychotic features |
| 99 | 296.35 | Major Depressive Disorder, Recurrent, In partial remission | 296.35 | Major depressive disorder, recurrent episode, In partial or unspecified Remission |
| 100 | 295.36 | Major Depressive Disorder, Recurrent, In full remission | 296.36 | Major depressive disorder, recurrent episode, In full remission |
| 101 | 296.40 | *Refer to DSM-IV-TR for two diagnoses with this code.* | 296.40 | Bipolar affective disorder, manic, Unspecified |
| 102 | 296.41 | Bipolar I Disorder, Most Recent Episode Manic, Mild | 296.41 | Bipolar affective disorder, manic, Mild |
| 103 | 296.42 | Bipolar I Disorder, Most Recent Episode Manic, Moderate | 296.42 | Bipolar affective disorder, manic, Moderate |
| 104 | 296.43 | Bipolar I Disorder, Most Recent Episode Manic, Severe, without psychotic features | 296.43 | Bipolar affective disorder, manic, Severe, without mention of psychotic behavior |
| 105 | 296.44 | Bipolar I Disorder, Most Recent Episode Manic, Severe, with psychotic features | 296.44 | Bipolar affective disorder, manic, Severe, specified as with psychotic behavior |
| 106 | 296.45 | Bipolar I Disorder, Most Recent Episode Manic, In partial remission | 296.45 | Bipolar affective disorder, manic, In partial or unspecified remission |
| 107 | 296.46 | Bipolar I Disorder, Most Recent Episode Manic, In full remission | 296.46 | Bipolar affective disorder, manic, In full remission |
| 108 | 296.50 | Bipolar I Disorder, Most Recent Episode Depressed, Unspecified | 296.50 | Bipolar affective disorder, depressed, Unspecified |
| 109 | 296.51 | Bipolar I Disorder, Most Recent Episode Depressed, Mild | 296.51 | Bipolar affective disorder, depressed, Mild |
| 110 | 296.52 | Bipolar I Disorder, Most Recent Episode Depressed, Moderate | 296.52 | Bipolar dffective disorder, depressed, Moderate |
| 111 | 296.53 | Bipolar I Disorder, Most Recent Episode Depressed, Severe without psychotic features | 296.53 | Bipolar affective disorder, depressed, Severe, without mention of psychotic behavior |
| 112 | 296.54 | Bipolar I Disorder, Most Recent Episode Depressed, with psychotic features | 296.54 | Bipolar affective disorder, depressed, Severe, specified as with psychotic behavior |
| 113 | 296.55 | Bipolar I Disorder, Most Recent Episode Depressed, in partial remission | 296.55 | Bipolar affective disorder, depressed, In partial or unspecified remission |

| | A | B | C | D |
|---|---|---|---|---|
| 1 | **DSM-IV** | **DESCRIPTION** | **ICD-9** | **DESCRIPTION** |
| 114 | 296.56 | Bipolar I Disorder, Most Recent Episode Depressed, in full remission | 296.56 | Bipolar affective disorder, depressed, In full remission |
| 115 | 296.60 | Bipolar I Disorder, Most Recent Episode Mixed, Unspecified | 296.60 | Bipolar affective disorder, mixed, Unspecified |
| 116 | 296.61 | Bipolar I Disorder, Most Recent Episode Mixed, Mild | 296.61 | Bipolar affective disorder, mixed, Mild |
| 117 | 296.62 | Bipolar I Disorder, Most Recent Episode Mixed, Moderate | 296.62 | Bipolar affective disorder, mixed, Moderate |
| 118 | 296.63 | Bipolar I Disorder, Most Recent Episode Mixed, Severe, without psychoitc features | 296.63 | Bipolar affective disorder, mixed, Severe, without mention of psychotic behavior |
| 119 | 296.64 | Bipolar I Disorder, Most Recent Episode Mixed, Severe, with psychotic features | 296.64 | Bipolar affective disorder, mixed, Severe, specified as with psychotic behavior |
| 120 | 296.65 | Bipolar I Disorder, Most Recent Episode Mixed, In partial remission | 296.65 | Bipolar affective disorder, mixed, In partial or unspecified remission |
| 121 | 296.66 | Bipolar I Disorder, Most Recent Episode Mixed, In full remission | 296.66 | Bipolar affective disorder, mixed, In full remission |
| 122 | 296.7 | Bipolar I Disorder, Most Recent Episode Unspecified | 296.7 | Bipolar affective disorder, unspecified |
| 123 | 296.80 | Bipolar Disorder NOS | 296.7 | Bipolar affective disorder, unspecified |
| 124 | 296.89 | Bipolar II Disorder | 296.89 | Manic-depressive psychosis, other and unspecified; Other |
| 125 | 296.90 | Mood Disorder NOS | 296.90 | Unspecified affective psychosis |
| 126 | 297.1 | Delusional Disorder | 297.9 | Unspecified paranoid state |
| 127 | 297.3 | Shared Psychotic Disorder | 297.3 | Shared paranoid disorder |
| 128 | 298.8 | Brief Psychotic Disorder | 298.8 | Other and unspecified reactive psychosis |
| 129 | 298.9 | Psychotic Disorder NOS | 298.9 | Unspecified psychosis |
| 130 | 299.00 | Autistic Disorder * | 299.00 | Infantile autism, **Current or active state** |
| 131 | | | 299.01 | Infantile autism, **Residual state** |
| 132 | 299.10 | Childhood Disintegrative Disorder * | 299.10 | Disintegrative psychosis, **Current or active state** |
| 133 | | | 299.11 | Disintegrative Psychosis, **Residual state** |
| 134 | 299.80 | *Refer to DSM-IV-TR for three diagnoses with this code.* * | 299.80 | Other specified early childhood psychoses, **Current or active state** |
| 135 | | | 299.81 | Other specified early childhood psychoses, **Residual state** |
| 136 | 300.00 | Anxiety Disorder NOS | 300.00 | Anxiety state, unspecified |
| 137 | 300.01 | Panic Disorder without Agoraphobia | 300.01 | Panic disorder |
| 138 | 300.02 | Generalized Anxiety Disorder | 300.02 | Generalized anxiety disorder |
| 139 | 300.11 | Conversion Disorder | 300.11 | Conversion disorder |
| 140 | 300.12 | Dissociative Amnesia | 300.12 | Psychogenic amnesia |
| 141 | 300.13 | Dissociative Fugue | 300.13 | Psychogenic fugue |
| 142 | 300.14 | Dissociative Identitiy Disorder | 300.14 | Multiple personality |

# DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | **DSM-IV** | **DESCRIPTION** | **ICD-9** | **DESCRIPTION** |
| 143 | 300.15 | Dissociative Disorder NOS | 300.15 | Dissociative disorder or reaction, unspecified |
| 144 | 300.16 | Factitious Disorder with predominantly psychological signs and symptoms | 300.16 | Factitious illness with psychological symptoms |
| 145 | 300.19 | *Refer to DSM-IV-TR for three diagnoses with this code.* | 300.19 | Other and unspecified factitious illness |
| 146 | 300.21 | Panic Disorder with Agoraphobia | 300.21 | Agoraphobia with panic attacks |
| 147 | 300.22 | Agoraphobia without History of Panic Disorder | 300.22 | Agoraphobia without mention of panic attacks |
| 148 | 300.23 | Social Phobia | 300.23 | Social phobia |
| 149 | 300.29 | Specific Phobia | 300.29 | Other Isolated or simple phobias |
| 150 | 300.3 | Obsessive-Compulsive Disorder | 300.3 | Obsessive-compulsive disorder |
| 151 | 300.4 | Dysthymic Disorder | 300.4 | Neurotic depresssion |
| 152 | 300.6 | Depersonalization Disorder | 300.6 | Depersonalization syndrome |
| 153 | 300.7 | *Refer to DSM-IV-TR for two diagnoses with this code.* | 300.7 | Hypochondriasis |
| 154 | 300.81 | Somatization Disorder | 300.81 | Somatization disorder |
| 155 | 300.82 | *Refer to DSM-IV-TR for two diagnoses with this code.* | 300.82 | Undifferentiated somatoform disorder |
| 156 | 300.9 | Unspecified Mental Disorder (nonpsychotic) | 300.9 | Unspecified neurotic disorder |
| 157 | **301.0** | Paranoid Personality Disorder | 301.0 | Paranoid personality disorder |
| 158 | 301.13 | Cyclothymic Disorder | 301.13 | Cyclothymic disorder |
| 159 | 301.20 | Schizoid Personality Disorder | 301.20 | Schizoid personality disorder, unspecified |
| 160 | 301.22 | Schizotypal Personality Disorder | 301.22 | Schizotypal personality |
| 161 | 301.4 | Obsessive-Compulsive Personality Disorder | 301.4 | Compulsive personality disorder |
| 162 | 301.50 | Histrionic Personality Disorder | 301.50 | Histrionic personality disorder, unspecified |
| 163 | 301.6 | Dependent Personality Disorder | 301.6 | Dependent personality disorder |
| 164 | 301.7 | Antisocial Personality Disorder | 301.7 | Antisocial personality disorder |
| 165 | 301.81 | Narcissistic Personality Disorder | 301.81 | Narcissistic personality |
| 166 | 301.82 | Avoidant Personality Disorder | 301.82 | Avoidant personality |
| 167 | 301.83 | Borderline Personality Disorder | 301.83 | Borderline personality |
| 168 | 301.9 | Personality Disorder NOS | 301.9 | Unspecified personality disorder |
| 169 | 302.2 | Pedophilia | 302.2 | Pedophilia |
| 170 | 302.3 | Transvestic Fetishism | 302.3 | Transvestism |
| 171 | 302.4 | Exhibitionism | 302.4 | Exhibitionism |

# DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | **DSM-IV** | **DESCRIPTION** | **ICD-9** | **DESCRIPTION** |
| 172 | 302.6 | *Refer to DSM-IV-TR for two diagnoses with this code.* | 302.6 | Disorders of psychosexual identity |
| 173 | 302.70 | Sexual Dysfunction NOS | 302.70 | Psychosexual dysfunction, unspecified |
| 174 | 302.71 | Hypoactive Sexual Desire Disorder | 302.71 | Psychosexual dysfunction with inhibited sexual desire |
| 175 | 302.72 | *Refer to DSM-IV-TR for two diagnoses with this code.* | 302.72 | Psychosexual dysfunction with inhibited sexual excitement |
| 176 | | Male Erectile Disorder | | |
| 177 | 302.73 | Female Orgasmic Disorder | 302.73 | Psychosexual dysfunction with inhibited Female orgasm |
| 178 | 302.74 | Male Orgasmic Disorder | 302.74 | Psychosexual dysfunction with inhibited male orgasm |
| 179 | 302.75 | Premature Ejaculation | 302.75 | Psychosexual dysfunction with premature ejaculation |
| 180 | 302.76 | Dyspareunia (not due to a general medical condition) | 302.76 | Psychosexual dysfunction with functional dyspareunia |
| 181 | 302.79 | Sexual Aversion Disorder | 302.79 | Psychosexual dysfunction with other specified psychosexual dysfunctions |
| 182 | 302.81 | Fetishism | 302.81 | Fetishism |
| 183 | 302.82 | Voyeurism | 302.82 | Voyeurism |
| 184 | 302.83 | Sexual Masochism | 302.83 | Sexual masochism |
| 185 | 302.84 | Sexual Sadism | 302.84 | Sexual sadism |
| 186 | 302.85 | Gender Identity Disorder in Adolescents or Adults | 302.85 | Gender identity disorder of adolescent or adult life |
| 187 | 302.89 | Frotteurism | 302.89 | Other specific psychosexual disorders, other |
| 188 | 302.9 | *Refer to DSM-IV-TR for two diagnoses with this code.* | 302.9 | Unspecified psychosexual disorder |
| 189 | 303.00 | Alcohol Intoxication * | 303.00 | Acute intoxication with alcoholism (alcoholism must be documented), **Unspecified** |
| 190 | | | 303.01 | Acute intoxication with alcoholism (alcoholism must be documented), **Continuous** |
| 191 | | | 303.02 | Acute intoxication with alcoholism (alcoholism must be documented), **Episodic** |
| 192 | | | 303.03 | Acute intoxication with alcoholism (alcoholism must be documented), **In Remission** |
| 193 | | | 305.00 | Alcohol abuse (acute alcohol intoxication), **Unspecified** |
| 194 | | | 305.01 | Alcohol abuse (acute alcohol intoxication), **Continuous** |
| 195 | | | 305.02 | Alcohol abuse (acute alcohol intoxication), **Episodic** |
| 196 | | | 305.03 | Alcohol abuse (acute alcohol intoxication), **In remission** |
| 197 | 303.90 | Alcohol Dependence * | 303.90 | Other and unspecified alcohol dependence, **Unspecified** |
| 198 | | | 303.91 | Other and unspecified alcohol dependence, **Continuous** |
| 199 | | | 303.92 | Other and unspecified alcohol dependence, **Episodic** |
| 200 | | | 303.93 | Other and unspecified alcohol dependence, **In remission** |

# DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | DSM-IV | DESCRIPTION | ICD-9 | DESCRIPTION |
| 201 | 304.00 | Opioid Type Dependence * | 304.00 | Opioid type dependence, **Unspecified** |
| 202 | | | 304.01 | Opioid type dependence, **Continuous** |
| 203 | | | 304.02 | Opioid type dependence, **Episodic** |
| 204 | | | 304.03 | Opioid type dependence, **In remission** |
| 205 | 304.10 | Sedative, Hypnotic, or Anxiolytic Dependence * | 304.10 | Barbiturate and similarly acting sedative or hypnotic dependence, **Unspecified** |
| 206 | | | 304.11 | Barbiturate and similarly acting sedative or hypnotic dependence, **Continuous** |
| 207 | | | 304.12 | Barbiturate and similarly acting sedative or hypnotic dependence, **Episodic** |
| 208 | | | 304.13 | Barbiturate and similarly acting sedative or hypnotic dependence, **In remission** |
| 209 | 304.20 | Cocaine Dependence * | 304.20 | Cocaine dependence, **Unspecified** |
| 210 | | | 304.21 | Cocaine dependence, **Continuous** |
| 211 | | | 304.22 | Cocaine dependence, **Episodic** |
| 212 | | | 304.23 | Cocaine dependence, **In remission** |
| 213 | 304.30 | Cannabis Dependence * | 304.30 | Cannabis dependence, **Unspecified** |
| 214 | | | 304.31 | Cannabis dependence, **Continuous** |
| 215 | | | 304.32 | Cannabis dependence, **Episodic** |
| 216 | | | 304.33 | Cannabis dependence, **In remission** |
| 217 | 304.40 | Amphetamine Dependence * | 304.40 | Amphetamine and other psychostimulant dependence, **Unspecified** |
| 218 | | | 304.41 | Amphetamine and other psychostimulant dependence, **Continuous** |
| 219 | | | 304.42 | Amphetamine and other psychostimulant dependence, **Episodic** |
| 220 | | | 304.43 | Amphetamine and other psychostimulant dependence, **In remission** |
| 221 | 304.50 | Hallucinogen dependence * | 304.50 | Hallucinogen dependence, **Unspecified** |
| 222 | | | 304.51 | Hallucinogen dependence, **Continuous** |
| 223 | | | 304.52 | Hallucinogen dependence, **Episodic** |
| 224 | | | 304.53 | Hallucinogen dependence, **In remission** |
| 225 | 304.60 | *Refer to DSM-IV-TR for two diagnoses with this code.* * | 304.60 | Other specified drug dependence, **Unspecified** |
| 226 | | | 304.61 | Other specified drug dependence, **Continuous** |
| 227 | | | 304.62 | Other specified drug dependence, **Episodic** |
| 228 | | | 304.63 | Other specified drug dependence, **Episodic** |

# DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | **DSM-IV** | **DESCRIPTION** | **ICD-9** | **DESCRIPTION** |
| 229 | 304.80 | Polysubstance Dependence * | 304.80 | Combinations of drug dependence excluding opioid type drug, **Unspecified** |
| 230 | | | 304.81 | Combinations of drug dependence excluding opioid type drug, **Continuous** |
| 231 | | | 304.82 | Combinations of drug dependence excluding opioid type drug, **Episodic** |
| 232 | | | 304.83 | Combinations of drug dependence excluding opioid type drug, **In remission** |
| 233 | 304.90 | Other (or Unknown) Substance Dependence * | 304.90 | Unspecified drug dependence, **Unspecified** |
| 234 | | | 304.91 | Unspecified drug dependence, **Continuous** |
| 235 | | | 304.92 | Unspecified drug dependence, **Episodic** |
| 236 | | | 304.93 | Unspecified drug dependence, **In remission** |
| 237 | 305.00 | Alcohol Abuse * | 305.00 | Alcohol abuse, **Unspecified** |
| 238 | | | 305.01 | Alcohol abuse, **Continuous** |
| 239 | | | 305.02 | Alcohol abuse, **Episodic** |
| 240 | | | 305.03 | Alcohol abuse, **In Remission** |
| 241 | 305.10 | Nicotine Dependence | 305.1 | Tobacco use disorder |
| 242 | 305.20 | Cannabis Abuse * | 305.20 | Cannabis abuse, **Unspecified** |
| 243 | | | 305.21 | Cannabis abuse, **Continuous** |
| 244 | | | 305.22 | Cannabis abuse, **Episodic** |
| 245 | | | 305.23 | Cannabis abuse, **In Remission** |
| 246 | 305.30 | Hallucinogen Abuse * | 305.30 | Hallucinogen abuse, **Unspecified** |
| 247 | | | 305.31 | Hallucinogen abuse, **Continuous** |
| 248 | | | 305.32 | Hallucinogen abuse, **Episodic** |
| 249 | | | 305.33 | Hallucinogen abuse, **In remission** |
| 250 | 305.40 | Sedative, Hypnotic, or Anxiolytic Abuse * | 305.40 | Barbiturate and similarly acting sedative or hypnotic abuse, **Unspecified** |
| 251 | | | 305.41 | Barbiturate and similarly acting sedative or hypnotic abuse, **Continuous** |
| 252 | | | 305.42 | Barbiturate and similarly acting sedative or hypnotic abuse, **Episodic** |
| 253 | | | 305.43 | Barbiturate and similarly acting sedative or hypnotic abuse, **In remission** |
| 254 | 305.50 | Opioid Abuse * | 305.50 | Opioid abuse, **Unspecified** |
| 255 | | | 305.51 | Opioid abuse, **Continuous** |
| 256 | | | 305.52 | Opioid abuse, **Episodic** |
| 257 | | | 305.53 | Opioid abuse, **In remission** |

# DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | **DSM-IV** | **DESCRIPTION** | **ICD-9** | **DESCRIPTION** |
| 258 | 305.60 | Cocaine Abuse * | 305.60 | Cocaine abuse, **Unspecified** |
| 259 | | | 305.61 | Cocaine abuse, **Continuous** |
| 260 | | | 305.62 | Cocaine abuse, **Episodic** |
| 261 | | | 305.63 | Cocaine abuse, **In remission** |
| 262 | 305.70 | Amphetamine Abuse * | 305.70 | Amphetamine or related acting sympathomimetic abuse, **Unspecified** |
| 263 | | | 305.71 | Amphetamine or related acting sympathomimetic abuse, **Continuous** |
| 264 | | | 305.72 | Amphetamine or related acting sympathomimetic abuse, **Episodic** |
| 265 | | | 305.73 | Amphetamine or related acting sympathomimetic abuse, **In remission** |
| 266 | 305.90 | *Refer to DSM-IV-TR for four diagnoses with this code.* * | 305.90 | Other, mixed, or unspecified drug abuse, **Unspecified** |
| 267 | | | 305.91 | Other, mixed, or unspecified drug abuse, **Continuous** |
| 268 | | | 305.92 | Other, mixed, or unspecified drug abuse, **Episodic** |
| 269 | | | 305.93 | Other, mixed, or unspecified drug abuse, **In remission** |
| 270 | 306.51 | Vaginismus (Not due to a general medical condition) | 306.51 | Psychogenic vaginismus |
| 271 | 307.0 | Stuttering | 307.0 | Stammering and stuttering |
| 272 | 307.1 | Anorexia Nervosa | 307.1 | Anorexia nervosa |
| 273 | 307.20 | Tic Disorder NOS | 307.20 | Tic disorder, Unspecified |
| 274 | 307.21 | Transient Tic Disorder | 307.21 | Transient tic disorder of childhood |
| 275 | 307.22 | Chronic Motor or Vocal Tic Disorder | 307.22 | Chronic motor tic disorder |
| 276 | 307.23 | Tourette's Disorder | 307.23 | Gilles de la Tourette's disorder |
| 277 | 307.3 | Stereotypic Movement Disorder | 307.3 | Stereotyped repetitive movements |
| 278 | 307.42 | Primary Insomnia | 307.41 | Transient disorder of initiating or maintaining sleep |
| 279 | | Insomnia Related to (specify the Axis I or II Disorder) | 307.42 | Persistent disorder of intiating or maintaining Sleep |
| 280 | 307.44 | Primary Hypersomnia (specify if recurrent) | 307.43 | Transient disorder of initiating or maintaining wakefullness |
| 281 | | Hypersomnia Related to (specify the Axis I or II Disorder) | 307.44 | Persistent disorder of initiating or maintaining wakefullness |
| 282 | 307.45 | Circadian Rhythm Sleep Disorder | 307.45 | Phase-shift disruption of 24-Hour sleep-wake cycle |
| 283 | 307.46 | *Refer to DSM-IV-TR for two diagnoses with this code.* | 307.46 | Somnambulism or night terrors |
| 284 | 307.47 | *Refer to DSM-IV-TR for two diagnoses with this code.* | 307.47 | Other dysfunctions of sleep stages or arousal from sleep |
| 285 | 307.50 | Eating Disorder NOS | 307.50 | Eating disorder, unspecified |
| 286 | | | 307.54 | Psychogenic vomiting |

Placer County Systems of Care

# DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | DSM-IV | DESCRIPTION | ICD-9 | DESCRIPTION |
| 287 | 307.51 | Bulimia Nervosa | 307.51 | Bulimia |
| 288 | 307.52 | Pica | 307.52 | Pica |
| 289 | 307.53 | Rumination Disorder | 307.53 | Psychogenic rumination |
| 290 | 307.59 | Feeding Disorder of Infancy or Early Childhood | 307.59 | Other and unspecified disorders of eating, Other |
| 291 | 307.6 | Enuresis (Not due to a general medical condition) | 307.6 | Enuresis |
| 292 | 307.7 | Encopresis without constipation and overflow incontinence | 307.7 | Encopresis |
| 293 | 307.80 | Pain Disorder Associated with Psychological Factors | 307.80 | Psychogenic pain, site unspecified |
| 294 | 307.89 | Pain Disorder Assoc with Both Psychological Factors and a General Medical Condition | 307.89 | Psychalgia, Other |
| 295 | 307.9 | Communication Disorder NOS | 307.9 | Other and unspecified special symtoms or syndromes, not elsewhere classified |
| 296 | 308.3 | Acute Stress Disorder | 308.3 | Other acute reactions to stress |
| 297 | 309.0 | Adjustment Disorder with Depressed Mood | 309.0 | Brief depressive reaction |
| 298 | 309.21 | Separation Anxiety Disorder | 309.21 | Separation anxiety disorder |
| 299 | 309.24 | Adjustment Disorder with Anxiety | 309.24 | Adjustment reaction with anxious mood |
| 300 | 309.28 | Adjustment Disorder with Mixed Anxiety and Depressed Mood | 309.28 | Adjustment reaction with mixed emotional features |
| 301 | 309.3 | Adjustment Disorder with Disturbance of Conduct | 309.3 | Adjustment reaction with predominant disturbance of conduct |
| 302 | 309.4 | Adjustment Disorder with Mixed Disturbance of Emotions and Conduct | 309.4 | Adjustment reaction with mixed disturbance of emotions and conduct |
| 303 | 309.81 | Posttraumatic Stress Disorder | 309.81 | Prolonged posttraumatic stress disorder |
| 304 | 309.9 | Adjustment Disorder Unspecified | 309.9 | Unspecified adjustment reaction |
| 305 | 310.1 | Personality Change Due to (indicate General Medical Condition) | 310.1 | Organic personality syndrome |
| 306 | 311 | Depressive Disorder NOS | 311 | Depressive disorder, not elsewhere classified |
| 307 | 312.30 | Impulse-Control Disorder NOS | 312.30 | Impulse control disorder, unspecified |
| 308 | 312.31 | Pathological Gambling | 312.31 | Pathological gambling |
| 309 | 312.32 | Kleptomania | 312.32 | Kleptomania |
| 310 | 312.33 | Pyromania | 312.33 | Pyromania |
| 311 | 312.34 | Intermittent Explosive Disorder | 312.34 | Intermittent explosive disorder |
| 312 | 312.39 | Trichotillomania | 312.39 | Disorders of impulse control, not elsewhere classified, Other |
| 313 | 312.81 | Conduct Disorder Childhood-Onset Type | 312.81 | Conduct disorder, childhood onset type |
| 314 | 312.82 | Conduct Disorder Adolescent-Onset Type | 312.82 | Conduct disorder adolescent onset type |
| 315 | 312.89 | Conduct Disorder Unspecified Onset | 312.89 | Other conduct disorder |

# DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | DSM-IV | DESCRIPTION | ICD-9 | DESCRIPTION |
| 316 | 312.9 | Disruptive Behavior Disorder NOS | 312.9 | Unspecified disturbance of conduct |
| 317 | 313.23 | Selective Mutism | 313.23 | Elective mutism |
| 318 | 313.81 | Oppositional Defiant Disorder | 313.81 | Oppositional disorder |
| 319 | 313.82 | Identity Problem | 313.82 | Identity disorder |
| 320 | 313.89 | Reactive Attachment Disorder of Infancy or Early Childhood | 313.89 | Other or mixed emotional disturbances of childhood or adolescence; Other |
| 321 | 313.9 | Disorder of Infancy, Childhood, or Adolescence NOS | 313.9 | Unspecified emotional disturbance of childhood or adolescence |
| 322 | 314.00 | Attention-Deficit/Hyperactivity Disorder - Predominantly Inattentive Type | 314.00 | Attention deficit disorder Without mention of hyperactivity |
| 323 | 314.01 | *Refer to DSM-IV-TR for two diagnoses with this code.* | 314.01 | Attention deficit disorder With hyperactivity |
| 324 | 314.9 | Attention-Deficit/Hyperactivity Disorder NOS | 314.01 | Attention deficit disorder, With hyperactivity |
| 325 | 315.00 | Reading Disorder | 315.00 | Reading disorder, unspecified |
| 326 | 315.1 | Mathematics Disorder | 315.1 | Specified arithmetical disorder |
| 327 | 315.2 | Disorder of Written Expression | 315.2 | Other specified learning difficulties |
| 328 | 315.31 | Expressive Language Disorder | 315.31 | Developmental language disorder |
| 329 | 315.32 | Mixed Receptive-Expressive Language Disorder | 315.32 | Receptive language disorder (mixed) |
| 330 | 315.39 | Phonological Disorder | 315.39 | Developmental speech or language disorder; Other |
| 331 | 315.4 | Developmental Coordination Disorder | 315.4 | Coordination disorder |
| 332 | 315.9 | Learning Disorder NOS | 315.9 | Unspecified delay in development |
| 333 | 316 | ... (Specified Psychological Factor) ... Affecting (Indicate the General Medical Condition) | 316 | Psychic factors associated with diseases classified elsewhere |
| 334 | 317 | Mild mental retardation | 317 | Mild mental retardation |
| 335 | 318.0 | Moderate Mental Retardation | 318.0 | Moderate mental retardation |
| 336 | 318.1 | Severe Mental Retardation | 318.1 | Severe mental retardation |
| 337 | 318.2 | Profound Mental Retardation | 318.2 | Profound mental retardation |
| 338 | 319 | Mental Retardation, Severity Unspecified | 319 | Unspecified mental retardation |
| 339 | 332.1 | Neuroleptic-Induced Parkinsonism | 332.1 | Secondary parkinsonism |
| 340 | 333.1 | Medication-Induced Postural Tremor | 333.1 | Essential and other specified forms of tremor |
| 341 | 333.7 | Neuroleptic-Induced Acute Dystonia | 333.7 | Symptomatic torsion dystonia |
| 342 | 333.82 | Neuroleptic-Induced Tardive Dyskinesia | 333.82 | Orofacial dyskinesia |
| 343 | 333.90 | Medication-Induced Movement Disorder NOS | 333.90 | Unspecified extrapyramidal disease and abnormal movement disorder |
| 344 | 333.92 | Neuroleptic Malignant Syndrome | 333.92 | Neuroleptic malignant syndrome |

# DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | DSM-IV | DESCRIPTION | ICD-9 | DESCRIPTION |
| 345 | 333.99 | Neuroleptic-Induced Acute Akathisia | 333.99 | Other and unspecified extrapyramidal diseases and abnormal movement disorders |
| 346 | 347 | Narcolepsy | 347 | Cataplexy and narcolepsy |
| 347 | 607.84 | Male Erectile Disorder Due to (Indicat the general medical condition) | 607.84 | Impotence of organic orgin |
| 348 | 608.89 | Male Dyspareunia Due to (Indicate the general medical condition) | 608.89 | Other specified disorders of male genital organs, Other |
| 349 | | Male Hypoactive Sexual Desire Disorder Due to (Indicate the general medical condition) | 302.89 | Other specified psychosexual disorders, Other |
| 350 | | Other Male Sexual Dsyfunction Due to (Indicate the general medical condition) | 302.79 | Psychosexual dysfunction; With other specified psychosexual dysfunctions |
| 351 | 625.0 | Female Dyspareunia Due to (Indicate the general medical condition) | 625.0 | Dyspareunia |
| 352 | 625.8 | Female Hypoactive Sexual Desire Disorder Due to(Indicate general medical condition) | 302.89 | Other specified psychosexual disorders; Other |
| 353 | | Other Female Sexual Dysfunction Due to (Indicate the general medical condition) | 302.79 | Psychosexual dysfunction, With other specified psychosexual dysfunctions |
| 354 | 780.09 | Delirium NOS | 780.09 | Other alterations of consciousness |
| 355 | 780.52 | Sleep Disorder, Insomnia Type, Due to (Indicatge the general medical condition) | 780.52 | Other insomnia |
| 356 | 780.54 | Sleep Disorder, Hypersomnia Type, Due to (Indicate the general medical condition) | 780.54 | Other hypersomnia |
| 357 | 780.59 | *Refer to DSM-IV-TR for three diagnoses with this code.* | 780.59 | Sleep disturbances, Other |
| 358 | 780.9 | Age-Related Cognitive Decline | 797 | Senility without mention of psychosis |
| 359 | 787.6 | Encopresis with constipation and overflow incontinence | 787.6 | Incontinence of feces |
| 360 | 799.9 | *Refer to DSM-IV-TR for two diagnoses with this code.* | 799.9 | Other unknown and unspecified cause |
| 361 | 995.2 | Adverse Effects of Medication NOS | 995.2 | Unspecified adverse effect of drug, medicinal and biological substance |
| 362 | 995.52 | Neglect of Child (if focus of attention is on the victim) | 995.52 | Child neglect (nutritional) |
| 363 | 995.53 | Sexual Abuse of Child (if focus of attention is on the victim) | 995.53 | Child sexual abuse |
| 364 | 995.54 | Physical Abuse of Child (if focus of attention is on the victim) | 995.54 | Child physical abuse |
| 365 | 995.81 | Physical Abuse by Partner (if focus of attention is on the victim) | 995.81 | Adult physical abuse |
| 366 | 995.83 | Sexual Abuse of Adult (if focus of attention is on the victim) | 995.83 | Adult sexual abuse |
| 367 | V15.81 | Noncompliance with Treatment | V15.81 | Noncompliance with medical treatment |
| 368 | V61.10 | Partner Relational Problem | V61.10 | Counseling for marital and partner problems, unspecified |
| 369 | V61.12 | *Refer to DSM-IV-TR for two diagnoses with this code.* | V61.12 | Counseling for perpetrator of spousal and partner abuse |
| 370 | V61.20 | Parent-child Relational Problem | V61.20 | Parent-child problem, unspecified |
| 371 | V61.21 | Refer to DSM-IV-TR for three diagnoses with this code. | V61.21 | Counseling for victim of child abuse (including neglect) |
| 372 | V61.8 | Sibling Relational Problem | V61.8 | Other specified family circumstances |
| 373 | V61.9 | Relational Problem Related to a Mental Disorder or General Medical Condition | V62.89 | Other psychological or physcial stress, not elsewhere classified; Other |

Placer County Systems of Care

# DSM-IV-TR to ICD-9-CM Crosswalk

| | A | B | C | D |
|---|---|---|---|---|
| 1 | **DSM-IV** | **DESCRIPTION** | **ICD-9** | **DESCRIPTION** |
| 374 | V62.2 | Occupational Problem | V62.2 | Other occupational circumstances or maladjustment |
| 375 | V62.3 | Academic Problem | V62.3 | Education circumstances |
| 376 | V62.4 | Acculturation Problem | V62.4 | Social maladjustment |
| 377 | V62.81 | Relational Problem NOS | V62.81 | Interpersonal problems, not elsewhere classified |
| 378 | V62.82 | Bereavement | V62.82 | Bereavement, uncomplicated |
| 379 | V62.83 | *Refer to DSM-IV-TR for two diagnoses with this code.* | V62.83 | Counseling for perpetrator of physical/sexual abuse (includes both child and adult |
| 380 | V62.89 | *Refer to DSM-IV-TR for three diagnoses with this code.* | V62.89 | Other psychological or physical stress, not elsewhere classified; Other |
| 381 | V65.2 | Malingering | V65.2 | Person feigning illness |
| 382 | V71.01 | Adult Antisocial Behavior | V71.01 | Observation of adult antisocial behavior |
| 383 | V71.02 | Child or Adolescent Antisocial Behavior | V71.02 | Observation for childhood or adolescent antisocial behavior |
| 384 | V71.09 | *Refer to DSM-IV-TR for two diagnoses with this code.* | V71.09 | Observation for other suspected mental condition |

Placer County Systems of Care

# ICD-9-CM FIFTH-DIGIT DESCRIPTIONS AND CRITERIA

The ICD-9-CM requires a fifth digit in the codes for Schizophrenic Disorders, Pervasive Developmental Disorders and substance use-related disorders. As the DSM-IV-TR does not use a fifth digit for these diagnoses, criteria for determining the appropriate fifth digit are provided below to use along with the *DSM-IV-TR to ICD-9-CM Crosswalk* to convert these DSM-IV-TR diagnoses to the more specific corresponding ICD-9-CM diagnoses (the DSM-IV-TR diagnoses that require an additional fifth digit are followed by an asterisk in the crosswalk).

## Schizophrenic Disorders

The DSM-III-R defines the fifth-digit codes for the course of schizophrenia as follows:

**1 Subchronic**

The time from the beginning of the disturbance, when the person first began to show signs of the disturbance (including prodromal, active, and residual phases) more or less continuously, is less than two years, but at least six months.

**2 Chronic**

The time from the beginning of the disturbance is more than two years.

**3 Subchronic with acute exacerbation**

Reemergence of prominent psychotic symptoms in a person with a chronic course who has been in the residual phase of the disturbance.

**4 Chronic with acute exacerbation**

Reemergence of prominent psychotic symptoms in a person with a chronic course who has been in the residual phase of the disturbance.

**5 In remission**

When a person with a history of schizophrenia is free of all signs of the disturbance (whether or not on medication), "in remission" should be coded. Differentiating Schizophrenia in Remission from No mental disorder (by the clinician) requires consideration of overall level of functioning, length of time since the last episode of disturbance, total duration of the disturbance, and whether prophylactic treatment is being given.

**0 Unspecified**

## Pervasive Developmental Disorders

The DSM-III explains that a fifth-digit code should be used for pervasive developmental disorders to indicate the following:

**0 Full Syndrome**

Full syndrome is currently present (this is comparable to ICD-9-CM fifth-digit "0", current or active state).

1 **Residual**

Whether full syndrome occurred previously (now individual has only residual symptomes of the disorder, such as blunted or inappropriate afect, social withdrawal, or eccentric behavior).

## Alcohol Dependence Syndrome, Drug Dependence, and Nondependent Abuse of Drugs

The DSM-III provides the following guidelines to indicate the course of illness in the fifth-digit:

**0 Unspecified**

Course unknown or first signs of illness with respect to course uncertain.

**1 Continuous**

More or less regular maladaptive use for over six months.

**2 Episodic**

A fairly circumscribed period of maladaptive use, with one or more similar periods in the past.

**3 In Remission**

Previous maladaptive use, but not using substance at present.

The differentiation of remission from no longer ill and from the other course categories requires consideration of the period of time since the last period of disturbance, the total duration of the disturbance, and the need for continued evaluation for prophylactic treatment.

Revised 5/21/04 dr

# Global Assessment of Functioning (GAF) Scale

Consider psychological, social, and occupational functioning on a hypothetical continuum of mental health-illness. Do not include impairment in functioning due to physical (or environmental) limitations.

**Code** (Note: Use intermediate codes when appropriate, e.g., 45, 68, 72.)

100 | 91 **Superior functioning in a wide range of activities, life's problems never seem to get out of hand, is sought out by others because of his or her many positive qualities. No symptoms.**

90 | 81 **Absent or minimal symptoms** (e.g., mild anxiety before an exam), **good functioning in all areas, interested and involved in a wide range of activities, socially effective, generally satisfied with life, no more than everyday problems or concerns** (e.g., an occasional argument with family members).

80 | 71 **If symptoms are present, they are transient and expectable reactions to psychosocial stressors** (e.g., difficulty concentrating after family argument); **no more than slight impairment in social, occupational, or school functioning** (e.g., temporarily falling behind in schoolwork).

70 | 61 **Some mild symptoms** (e.g., depressed mood and mild insomnia) **OR some difficulty in social, occupational, or school functioning** (e.g., occasional truancy, or theft within the household), **but generally functioning pretty well, has some meaningful interpersonal relationships.**

60 | 51 **Moderate symptoms** (e.g., flat affect and circumstantial speech, occasional panic attacks) **OR moderate difficulty in social, occupational, or school functioning** (e.g., few friends, conflicts with peers or co-workers).

50 | 41 **Serious symptoms** (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) **OR any serious impairment in social, occupational, or school functioning** (e.g., no friends, unable to keep a job).

40 | 31 **Some impairment in reality testing or communication** (e.g., speech is at times illogical, obscure, or irrelevant) **OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood** (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home, and is failing at school).

30 | 21 **Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment** (e.g., sometimes incoherent, acts grossly inappropriately, suicidal preoccupation) **OR inability to function in almost all areas** (e.g., stays in bed all day; no job, home, or friends).

20 | 11 **Some danger of hurting self or others** (e.g., suicide attempts without clear expectation of death; frequently violent; manic excitement) **OR occasionally fails to maintain minimal personal hygiene** (e.g., smears feces) **OR gross impairment in communication** (e.g., largely incoherent or mute).

10 | 9 **Persistent danger of severely hurting self or others** (e.g., recurrent violence) **OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.**

0 Inadequate information.