

Placer										
Community Health Status Report Overview										
Domain and Indicator		Period	Local			State			Local compared to State	Data Source
			95% Conf. Int			95% Conf. Int				
			Rate	Lower	Upper	Rate	Lower	Upper		
1. Access to and Utilization of Care Indicators										
1-A	Uninsured per 100 population age 0 to 18	2009-2011	5.8	5.7	5.9	9.3	9.3	9.4	↓	Small Area Health Insurance Estimates (SAHIE).
1-B	Uninsured per 100 female population age 18 to 64	2009-2011	13.1	12.9	13.2	22.1	22.1	22.2	↓	Small Area Health Insurance Estimates (SAHIE).
1-C	Medi-Cal insured deliveries per 100 live births	2009-2011	25.4	24.6	26.2	47.2	47.1	47.3	↓	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
1-D	Prenatal care in the first trimester per 100 females delivering a live birth	2009-2011	85.7	85.1	86.4	83.3	83.2	83.4	↑	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
1-E	Had a doctor visit in the last year per 100 children age 0 to 17	2011-2012	90.4+	(86.9 - 93.9)		89.4	(88.2 - 90.6)			CHIS (California Health Interview Survey).
1-F	Had a doctor visit in the last year per 100 females age 18 and over	2011-2012	85.7	(79.3 - 92.0)		85.9	(85.1 - 86.7)			CHIS (California Health Interview Survey).
1-G	Dental visit in the past year per 100 children age 3 to 11	2011-2012	89.5+	(84.2 - 94.7)		85.8	(84.1 - 87.5)			CHIS (California Health Interview Survey).
1-H	Medicaid/CHIP enrollees who receive any dental service per 100 enrollees age 1 to 20	2011	43.7			52.2 ^a				Utilization by County for Dental Managed Care and Fee for Service; Utilization Rate is calculated as the number of unduplicated users divided by the number of eligibles (enrollees) continuously enrolled in the same plan for at least 11 months during Calendar Year 2011.
1-I	Medi-Cal enrollment per 1,000 age 0-22	2012	151.6			353.4			↓	kidsdata.org (CA DHCS)
1-J	Kindergartners with immunizations exemptions due to personal belief, per 100	2013	8.1			2.8			↑	kidsdata.org (CA DHCS)
2. Maternal and Women Health Indicators										
2-A	Births within 24 months of a previous birth per 100 females age 15 to 44 delivering a live birth	2009-2011	20.3	19.3	21.3	21.0	20.9	21.1	↔	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
2-B	Cesarean births per 100 low risk females delivering a live birth	2009-2011	23.5	22.7	24.3	27.6	27.5	27.7	↓	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
2-C	Gestational diabetes per 1,000 females age 15 to 44 delivering a live or still-born infant in-hospital	2009-2011	1.8	1.2	2.8	1.0	1.0	1.1	↑	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
2-D	Substance use diagnoses per 1,000 hospitalizations of pregnant females age 15 to 44	2009-2011	13.3	11.4	15.5	14.0	13.8	14.2	↔	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
2-E	Mood disorder hospitalizations per 100,000 female population age 15 to 44	2009-2011	1296.7	1247.3	1347.9	1,030.6	1,026.5	1,034.7	↑	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.

Placer										
Community Health Status Report Overview									Local compared to State	Data Source
Domain and Indicator	Period	Local			State					
		95% Conf. Int			95% Conf. Int					
		Rate	Lower	Upper	Rate	Lower	Upper			
2-F	Assault hospitalizations per 100,000 females age 15 to 44	2009-2011	5.1	2.8	9.5	10.6	10.2	11.1	↓	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
2-G	Domestic violence calls per 100,000 population	2009-2011	239.0	229.8	248.5	439.5	438.2	440.7	↓	California State Department of Justice. Office of the Attorney General. Domestic Violence-Related Calls for Assistance.
2-H	Any smoking during the 1st or 3rd trimester per 100 females with live births	2011	10.1+	7.1	13.2	8.1	7.1	9.1	↔	MIHA (Maternal Infant Health Assessment Survey).
2-I	Current smoker per 100 females 18 and older	2011-2012	11.1	(5.6 - 16.6)		11.0	(10.3 - 11.7)			CHIS (California Health Interview Survey).
2-J	Binge drinking in the last year per 100 females age 18 and older	2011-2012	23.6	(16.7 - 30.5)		23.6	(22.7 - 24.6)			CHIS (California Health Interview Survey).
2-K	Fertility rate, women age 15-44	2010	48.2			58.5				HealthyCity.org (CDPH)
2-L	Percent of women age 50+ that report a mammogram in the past two years	2008-2010	87.0	(79.4 - 92.1)		82.2	(81.2 - 83.2)		↔	HealthIndicators.gov (BRFSS (CDC/PHSPO))
2-M	Percent of women age 18+ that report Pap test in the last three years	2008-2010	78.9	(71.5 - 84.8)		78.2	(77.3 - 79.2)		↔	HealthIndicators.gov (BRFSS (CDC/PHSPO))
3. Infant Health Indicators										
3-A	Fetal and infant deaths during perinatal period per 1,000 live births and fetal deaths									
3-B	Deaths at age less than 1 year per 1,000 live births	2003-2009	4.18			5.14				kidsdata.org (CA DHCS)
3-C	Births less than 37 weeks gestation per 100 live births	2009-2011	7.9	7.4	8.4	8.6	8.6	8.7	↓	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
3-D	Births weighing less than 2,500 grams per 100 live births	2009-2011	5.6	5.2	6.1	6.8	6.8	6.8	↓	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
3-E	Births weighing less than 1,500 grams per 100 live births	2009-2011	1.0	0.8	1.2	1.2	1.1	1.2	↔	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
4. Nutrition and Physical Activity Indicators										
4-A	Overweight children per 100 population age 2 to 5 enrolled in CHDP	2010	25			42.1				Centers for Disease Control, Pediatric Nutrition Surveillance for those enrolled in the Child Health and Disability Prevention program
4-B	Overweight and obese public school students per 100 population in grades 5, 7, 9, & 11	2010	25.8			38.0				As cited on kidsdata.org, Babey, S. H., et al. (2011). A patchwork of progress: Changes in overweight and obesity among California 5th-, 7th-, and 9th graders
4-C	Overweight and obesity per 100 females age 15 to 44	2011-2012	41.4	(24.4 - 58.3)		43.1	(41.4 - 44.8)			CHIS (California Health Interview Survey).
4-D	Daily folic acid use in the month before pregnancy per 100 females delivering a live birth	2011	34.9	30.0	39.9	34.4	32.3	36.4	↔	MIHA (Maternal Infant Health Assessment Survey).

Placer										
Community Health Status Report Overview									Local compared to State	Data Source
Domain and Indicator	Period	Local			State					
		95% Conf. Int			95% Conf. Int					
		Rate	Lower	Upper	Rate	Lower	Upper			
4-E	Exclusive in-hospital breastfeeding per 100 females delivering a live birth	2012	78.9	(77.4 - 80.3)		62.6	(62.5 - 62.8)			California Department of Public Health, Center for Family Health, Genetic Disease Screening Program, Newborn Screening Data, 2012
4-F	Physical inactivity: Percentage of children in grades 5, 7, and 9 ranking within the "High Risk" or "Needs Improvement" zones for aerobic capacity on the Fitnessgram physical fitness test	2011-2012	22.6			37.2				CHNA data platform (CA Dpt of Ed)
4-G	Overweight youth: Percentage of children in grades 5, 7, and 9 ranking within the "Needs Improvement" category (Overweight) for body composition on the Fitnessgram physical fitness test	2011-2012	12.8			14.5				CHNA data platform (CA Dpt of Ed)
5. Child/Adolescent Health Indicators										
5-A	Births per 1,000 females age 15 to 17	2009-2011	5.1	4.3	6.1	16.8	16.7	17.0	↓	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
5-B	Births per 1,000 females age 15 to 19	2009-2011	12.7	11.6	13.9	31.6	31.4	31.8	↓	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
5-C	Births within 24 months of a previous birth per 100 females age less than 20 delivering a live birth	2009-2011	52.0	38.5	65.2	56.7	56.0	57.4	↔	California Center for Health Statistics, Vital Statistics, Birth Statistical Master File.
5-D	Deaths per 100,000 population age 1 to 4 years	2009-2011	31.3	19.3	50.9	22.7	21.6	24.0	↔	California Office of Health Information and Research, Death Statistical Master File.
5-E	Deaths per 100,000 population age 5 to 14 years	2009-2011	8.2	4.7	14.3	11.2	10.7	11.8	↔	California Office of Health Information and Research, Death Statistical Master File.
5-F	Deaths per 100,000 population age 15 to 19	2009-2011	48.7	35.2	67.4	41.7	40.4	43.1	↔	California Office of Health Information and Research, Death Statistical Master File.
5-G	Deaths per 100,000 population age 20 to 24	2009-2011	95.3	72.9	124.6	70.3	68.6	72.2	↑	California Office of Health Information and Research, Death Statistical Master File.
5-H	Motor vehicle injury hospitalizations per 100,000 population age 0 to 14	2009-2011	16.2	11.6	22.6	18.1	17.6	18.7	↔	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
5-I	Mental health hospitalizations per 100,000 population age 15 to 24	2009-2011	1444.5	1380.9	1510.9	1,281.9	1,276.5	1,287.3	↑	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
5-J	Substance abuse hospitalizations per 100,000 population age 15 to 24	2009-2011	696.8	652.9	743.5	638.7	634.9	642.5	↑	Office of Statewide Health Planning and Development (OSHPD). Hospital discharge data.
5-K	Reported cases of chlamydia per 100,000 female population age 15 to 24	2012	1777.6			2,905.4			↓	California Department of Public Health, STD Control Branch (data reported through 08/19/2013)

Placer										
Community Health Status Report Overview									Local compared to State	Data Source
Domain and Indicator	Period	Local			State					
		95% Conf. Int			95% Conf. Int					
		Rate	Lower	Upper	Rate	Lower	Upper			
5-L	Self-inflicted injuries: Nonfatal hospitalized per 100,000 age 10-19	2008-2010	35.3			48.4			↓	PHI
5-L	Self-inflicted injuries: Fatal per 100,000 age 10-19	2008-2010	3.5			3.0			↔	PHI
5-M	Asthma Diagnoses age 1-17	2011-2012	23.7			15.4			↑	kidsdata.org (CHIS)
6. Population Demographics										
6-A	Total Population		#####			#####			NA	California Department of Finance Population Estimates
6-B	Total Population African American		4,488			2,195,986			NA	California Department of Finance Population Estimates
6-C	Total Population American Indian/ Alaska Native		2,065			163,262			NA	California Department of Finance Population Estimates
6-D	Total Population Asian/ Pacific Islander		24,773			4,994,232			NA	California Department of Finance Population Estimates
6-E	Total Population Hispanic		50,436			#####			NA	California Department of Finance Population Estimates
6-F	Total Population White		#####			#####			NA	California Department of Finance Population Estimates
7. Socio-Economic Health Determinants										
7-A	Poverty (0-200% FPL) per 100 population age 18 to 64	2009-2011	20.2	20.1	20.4	33.8	33.8	33.8	↓	Small Area Health Insurance Estimates (SAHIE).
7-B	Poverty (0-200% FPL) per 100 population age 0 to 18	2009-2011	24.3	24.2	24.5	45.5	45.4	45.5	↓	Small Area Health Insurance Estimates (SAHIE).
7-C	Children in foster care per 1,000 children age 0 to 17	2009-2011	3.3	3.1	3.5	6.8	6.7	6.8	↓	California Child Welfare Indicators Project, University of California, Berkeley
7-D	Unemployment per 100 people in the employment market	2009-2011	11.2	11.2	11.3	12.3	12.3	12.3	↓	State of California Employment Development Department.
7-E	Single mothers living in poverty per 100 single mothers	2012	33.4			39.4				2012 American Community Survey 1-Year Estimates.
7-F	Children receiving free or reduced price meals at school per 100 students	2012	28.6			57.5			NA	As cited on kidsdata.org, California Dept. of Education, Free/Reduced Price Meals Program & CalWORKS Data Files, http://www.cde.ca.gov/ds/sd/sd/files.asp (May 2013); U.S. Dept. of Education, NCES Common Core of Data, http://nces.ed.gov/ccd/bat/index.asp (May 2013).

Placer										
Community Health Status Report Overview									Local compared to State	Data Source
Domain and Indicator	Period	Local			State					
		95% Conf. Int			95% Conf. Int					
		Rate	Lower	Upper	Rate	Lower	Upper			
7-G	High school dropout per 100 students in grades 9-12	2011	5.8			14.7			NA	As cited on kidsdata.org, California Dept. of Education, California Basic Educational Data System (CBEDS).
8. Environmental Health Determinants										
8-A	Number of days with ozone above regulatory standards	2011	21			16			NA	As cited on kidsdata.org, Centers for Disease Control and Prevention, National Environmental Public Health Tracking Network (Jul. 2013).
8-B	Smoking in households with children < 5 per 100 enrolled in CHDP	2010	3.0			3.0			NA	Centers for Disease Control, Pediatric Nutrition Surveillance for those enrolled in the Child Health and Disability Prevention program
* Rate is statistically unstable										
+ Rate reported is for regional data as county level Rate is too unstable										